



**BAD BOY
MOWERS**

MOW WITH AN *Attitude*



LOTHIAN TURF TECH
GRASS MACHINERY







BAD BOY

MOWERS

MOW WITH AN *Attitude*

Born and bred in the heart of the Ozark Mountains in Batesville, Arkansas, Bad Boy Mower's reputation is built on delivering a better zero-turn mower for a better value. We've built reliability, power and durability into every mower made from the very beginning. Our mowers are known for being easy to operate, easy to maintain and engineered to last across generations. For more than 20 years, we've shaped and redefined the zero-turn mower market for both mowing pros and homeowners, and we're really just getting started.

PROFESSIONAL SERIES

Every Bad Boy Mower, from the very beginning, has been built from heavy gauge, all-American steel, fabricated and welded to last a lifetime. While our strength has become legendary to professionals and demanding homeowners alike, we've also led the industry with innovation after innovation, patent after patent, and up and down our mower line you'll find the perfect combination of standard features and engine options—all for an incredible price-for-performance value.



WE'RE THE STEEL DEAL



Featuring a slope nose 3 gauge 1/4" fabricated deck with 1/2" leading edge and 3/8" side reinforcements, our decks withstand years of grueling day-in and day-out mowing. They're the heaviest-built decks of any commercial mower in the industry.


COMFORT IS KING



Most Outlaw R-Series and commercial Bad Boy Mowers feature our patented EZ-Ride™ front and rear suspension system, and all offer the most comfortable, operator-adjustable seat for the smoothest, most comfortable ride around.

NOBODY BUILDS IN MORE ALL-AROUND INNOVATION, TOUGHNESS AND PERFORMANCE

- 1 HIGHEST PERFORMANCE KAWASAKI ENGINES
- 2 HEAVY-GAUGE, ALL-STEEL, ALL-WELDED FRAME
- 3 SLOPED 1/4" OR 3-GAUGE DECK WITH REINFORCED 3/8" SIDES
- 4 CAST I-BEAM FRONT RAILS
- 5 PATENTED 3-LINK REAR TRAILING ARM SUSPENSION
- 6 PATENTED INDEPENDENT FRONT SUSPENSION
- 7 PATENTED DUAL DECK SUPPORT ISOLATORS
- 8 PREMIUM ADJUSTABLE SUSPENSION SEAT
- 9 CONTROL PANEL WITH ELECTRIC PTO
- 10 NO FLAT FRONT TIRES
- 11 DECK-DIAL™ DECK ADJUST
- 12 DUAL FEED FUEL TANKS





8

6

7

1



5

BAD BOY

PROFESSIONAL SERIES

RENEGADE



INDUSTRY LEADING DECK



Featuring a slope nose 3 gauge or 1/4" fabricated deck with 1/2" leading edge and 3/8" side reinforcements.

ELITE COMFORT



Patented 3-Link Suspension and suspension seat combine to deliver the smoothest ride on any mower model.

UNRIVALED TOUGHNESS



Built for the long haul, it's heavy gauge, all-steel, all-welded and fabricated 1.5" x 3" frame rail provides the backbone for years of durable service.

POWERED BY PERKINS DIESEL ENGINES

AVAILABLE DECK SIZES: 61"

DUAL PUMP BELT SYSTEM WITH TENSIONER DESIGN

HEAVY-GAUGE, ALL-STEEL, ALL-WELDED FRAME

SLOPED 1/4" OR 3-GAUGE DECK WITH REINFORCED 3/8" SIDES

CAST I-BEAM RAILS

PATENTED 3-LINK REAR TRAILING ARM SUSPENSION

PATENTED INDEPENDENT FRONT SUSPENSION

PATENTED DUAL DECK SUPPORT ISOLATORS

PREMIUM ADJUSTABLE SUSPENSION SEAT

KEY FOB START AND DIGITAL DIAGNOSTICS PANEL

BUILT-IN STRIPING KIT

NO FLAT FRONT TIRES

ADJUSTABLE HANDLES



PERKINS DIESEL

PROFESSIONAL SERIES

ROGUE



REVOLUTIONARY SUSPENSION



Our patented EZ-Ride 3-link trailing suspension is the first and only of its kind to provide a smoother ride and increase traction.

ALL DECKED OUT



From the lift-up floorboard for cleaning and maintenance, to the premium high-traction rubber floor mat, you're firmly in control.

MOW LIKE A PRO



Comes fully equipped with our adjustable suspension seat, built-in striping kit, no flat tires, speed tracking, and adjustable handles.

POWERED BY KAWASAKI

AVAILABLE DECK SIZES: 61" OR 72"

PATENTED 3-LINK REAR TRAILING ARM SUSPENSION

HEAVY-DUTY CAST I-BEAM RAILS

PATENTED INDEPENDENT FRONT SUSPENSION

SLOPED 1/4" OR 3-GAUGE DECK WITH REINFORCED 3/8" SIDES

HEAVY-GAUGE, ALL-STEEL, ALL-WELDED FRAME

PATENTED DUAL DECK SUPPORT ISOLATORS

PEER, MAINTENANCE-FREE SPINDLES

BUILT-IN STRIPING KIT

NO FLAT FRONT TIRES

ADJUSTABLE HANDLES

PREMIUM SUSPENSION SEAT



PROFESSIONAL SERIES

REBEL



ADJUSTS PERFECTLY TO YOU



The floorboard lifts up for easy access to maintain and clean the deck and pulley systems. No slip rubber deck keeps your feet firmly in place.

THE POWER TO PERFORM



With multiple powerful engine options and three deck sizes to choose from, you can always find the right Rebel for you.

MORE STANDARD FEATURES



You'll get our adjustable suspension seat, No Flat tires, built-in striping kit, speed tracking, and adjustable handles at no additional cost.

POWERED BY KAWASAKI ENGINES

AVAILABLE DECK SIZES: 54" or 61"

DUAL HYDRO-GEAR® 4400 SERIES HIGH-PERFORMANCE INTEGRATED DRIVE SYSTEMS

HEAVY-DUTY CAST MAINTENANCE-FREE SPINDLES

NO FLAT FRONT TIRES

PATENTED DUAL DECK SUPPORT ISOLATORS

SLOPED 1/4" OR 3-GAUGE DECK WITH REINFORCED 3/8" SIDES

ELECTRIC PTO

BUILT-IN STRIPING KIT

ADJUSTABLE HANDLES

PREMIUM SUSPENSION SEAT



PROFESSIONAL SERIES

MAVERICK HD



UPGRADE YOUR DRIVE



Dual Hydro-Gear ZT-3400 Integrated High-Efficiency Drive Systems are commercial-rated for more performance and durability.

CONFIDENCE AND COMFORT



Our premium suspension seat, EZ-Ride® System and No Flat front tires come standard, so you can mow long hours in maximum comfort.

MORE DECK SIZE OPTIONS



Choose from a wide range of deck options that fit your needs. You can go big with a 60" deck or fit through any gate with the 42" model.

POWERED BY KAWASAKI ENGINES

AVAILABLE DECK SIZES: 42", 48", 54" & 60"

DUAL HYDRO-GEAR® 3400 SERIES COMMERCIAL-GRADE INTEGRATED DRIVE SYSTEMS

3/16" OR 7-GAUGE ALL STEEL, FORMED AND WELDED DECK WITH REINFORCED EDGES

PATENTED EZ-RIDE® SYSTEM

I-BEAM FRONT RAILS

HEAVY-GAUGE, ALL-STEEL, ALL-WELDED FRAME

PEER, MAINTENANCE-FREE SPINDLES

PREMIUM ADJUSTABLE SUSPENSION SEAT

DECK LIFT PEDAL WITH DECK DIAL ADJUSTMENT

NO FLAT FRONT TIRES

STRIPING KIT

ADJUSTABLE STEERING ARMS



PROFESSIONAL SERIES

REVOLT



RIDE WITH EASE



Shorter frame and curved I-Beam rails gives a lower center of gravity for maximum maneuverability and visibility.

CONTROL IS IN YOUR HANDS



The one-touch hand operated height of cut control makes on-the-fly adjustments easy. Quickly switch between the position speeds for smoother operation in the tightest of spaces.

QUICK PICK DECK HEIGHT



Pull the pin, drop—or raise—the deck, and select the perfect cut height for a dependable, even mow—every time.

POWERED BY KAWASAKI & VANGUARD ENGINES

AVAILABLE DECK SIZES: 36", 48", 54" & 61"

SLOPED NOSE 3/16" OR 7-GAUGE ALL STEEL, FORMED AND WELDED DECK WITH REINFORCED EDGES

CURVED I-BEAM FRONT RAILS

QUICK ACCESS PANEL FOR DRIVE AND BELT MAINTENANCE

DUAL 3400 HYDRO-GEAR INTEGRATED DRIVE SYSTEMS

3/8" STEEL FRONT FORKS AND 3 1/2" TRAIL FOR SMOOTH DIRECTIONAL CHANGE

IMPROVED VARIABLE DECK LIFT ADJUSTMENT

ADJUSTABLE RUBBER SUSPENSION RIDING PLATFORM

NO FLAT FRONT TIRES

THREE-POSITION SPEED CONTROL

ERGONOMIC THIGH PAD



PROFESSIONAL SERIES

REVOLT SD



THE REVOLT FOR EVERYONE



Modified to make the perfect stand-on mower for homeowners too. It's a better value for smaller properties with Bad Boy quality.

JUST THE RIGHT SIZE



The Revolt SD is available in 34" and 42" deck sizes that fit through a gate with no problems. It's perfect for tight fits and a cleaner cut.

COMFORT YOU CAN STAND BEHIND



The full suspension operator platform gives you a smoother ride with less fatigue and maximum comfort.

POWERED BY KAWASAKI ENGINES

AVAILABLE DECK SIZES: 34" & 42"

3/16" OR 7-GAUGE ALL STEEL, FORMED AND WELDED DECK WITH REINFORCED EDGES

QUICK ACCESS PANEL FOR DRIVE AND BELT MAINTENANCE

DUAL 2800 HYDRO-GEAR INTEGRATED DRIVE SYSTEMS

3/8" STEEL FRONT FORKS AND 3 1/2" TRAIL FOR SMOOTH DIRECTIONAL CHANGE

IMPROVED VARIABLE DECK LIFT ADJUSTMENT

ADJUSTABLE RUBBER SUSPENSION RIDING PLATFORM

THREE-POSITION SPEED CONTROL

ERGONOMIC THIGH PAD



PROFESSIONAL SERIES

RAIDER



CONTROL CENTRAL



The Control Bar has everything you need in one convenient place. Easily operate the brake, engine, electric PTO, and control levers.

UNIQUE CENTRAL LOCK



This one-of-a-kind feature locks both transmissions in a single action for ensuring a straight cut.

STEP UP TO A BETTER DECK LIFT



Step on the deck lift pedal, pull the pin and raise or lower the deck to the perfect height. Insert the pin and you're set to mow.

POWERED BY KAWASAKI ENGINES

AVAILABLE DECK SIZES: 36", 48" & 54"

ELECTRIC START

DUAL 3100 HYDRO-GEAR INTEGRATED DRIVE SYSTEMS

TRANSAXLES PROTECTED BY SKID PLATES

FOOT-OPERATED DECK LIFT SYSTEM

BRAKE, ENGAGE, ELECTRIC PTO AND CONTROL LEVERS ON CONTROL BAR

UNIQUE CENTRAL LOCK, LOCKING BOTH TRANSMISSIONS FOR STRAIGHT CUTS

OPTIONAL PATENTED SULKY FEATURES EZ-RIDE™



RESIDENTIAL SERIES

Cut from the same steel, welded by the same robots and craftsmen, and assembled side-by-side down our assembly lines, our residential mowers share the same build-quality DNA as our commercial-grade mowers. We don't stamp flimsy sheets of steel or cut corners that ultimately determine mower durability and performance. We've even taken the lead in raising the comfort quality by adapting our patented EZ-Ride™ system to several models and offering premium custom seats.



DECK-DIAL™ LIFT SYSTEM



All of our zero-turn mowers feature our unique Deck-Dial™ system. Simply push down on the deck pedal—adjustable and movable to your right or left—and dial in the perfect mowing height every time.


STEP UP TO A STRONGER DECK



Our legendary heavy-gauge, all-steel, formed and welded decks are the toughest in the industry. Featuring Heavy-Duty Cast Maintenance-Free Spindles and reinforced welded steel plates along the edges, our decks are built to last a lifetime.

NOBODY BUILDS IN MORE ALL-AROUND INNOVATION, TOUGHNESS AND PERFORMANCE

- 1 DEPENDABLE DUAL INTEGRATED HYDRO-GEAR® DRIVES
- 2 HEAVY-GAUGE, ALL-STEEL, ALL-WELDED FRAME
- 3 SLOPED 3/16" OR 7-GAUGE ALL STEEL, FORMED, AND WELDED DECK WITH REINFORCED EDGES
- 4 WIDE RANGE OF DECK CUTTING WIDTH SIZES
- 5 REAPER HIGH-TRACTION REAR TIRES
- 6 PREMIUM COMFORT SEATS
- 7 CONTROL PANEL WITH ELECTRIC PTO
- 8 DECK-DIAL™ DECK ADJUST
- 9 ADJUSTABLE STEERING ARMS
- 10 PEER, MAINTENANCE-FREE SPINDLES
- 11 INDUSTRY-LEADING 3/8" STEEL FRONT FORKS
- 12 SEAT LIFTS FOR EASY MAINTENANCE AND CLEANING
- 13 HIGHEST PERFORMANCE ENGINE OPTIONS



BUILD A BADDER BAD BOY

With a wide range of options and accessories, you can deck your Bad Boy out for safety, performance and comfort. See Page 40 for more information.



RESIDENTIAL SERIES

MAVERICK



HISTORIC INNOVATIONS



The first zero-turn mower ever to feature our patented EZ-Ride® Suspension with an integrated drive system.

REDEFINING RESIDENTIAL



Unlike any mower in its class. It's built and outfitted commercial-grade tough, with popular power options and superior comfort.

TAKE CONTROL OF ANY YARD



The control panel has everything right at your fingertips. The adjustable foot pedal and twistable Deck-Dial™ knob sets your cutting height.

POWERED BY KAWASAKI ENGINES

AVAILABLE DECK SIZES: 48" 54", & 60"

PATENTED EZ-RIDE® SYSTEM

INDUSTRY-LEADING 3/8" STEEL FRONT FORKS

3/16" OR 7-GAUGE ALL STEEL, FORMED AND WELDED DECK WITH REINFORCED EDGES

DUAL HYDRO-GEAR 3200 SERIES INTEGRATED DRIVE SYSTEMS

PATENTED INDEPENDENT FRONT SUSPENSION

I-BEAM FRONT RAILS

HEAVY-GAUGE, ALL-STEEL, ALL-WELDED FRAME

PEER, MAINTENANCE-FREE SPINDLES

SEAT LIFTS FOR EASY MAINTENANCE AND CLEANING

ADJUSTABLE STEERING ARMS

ELECTRIC PTO

COMFORT SEAT WITH ARM RESTS



RESIDENTIAL SERIES

ZT ELITE



MOWING IS A BREEZE



7-gauge steel with reinforced edges, the unique baffling system maximizes airflow for greater grass lift and a cleaner cut.

ELITE VALUE



The perfect price-for-performance zero-turn. Built tough as they come, more comfortable than ever, even more improvements and still a great value.

MORE ENGINE OPTIONS



Powerful and reliable engines options are up to the task to perform year after year, season after season.

POWERED BY KAWASAKI

AVAILABLE DECK SIZES: 48", 54" & 60"

PATENTED INDEPENDENT FRONT SUSPENSION

3/16" OR 7-GAUGE ALL STEEL, FORMED AND WELDED DECK WITH REINFORCED EDGES

DUAL HYDRO-GEAR 3100 SERIES INTEGRATED DRIVE SYSTEMS

HEAVY-GAUGE, ALL-STEEL, ALL-WELDED FRAME

INDUSTRY-LEADING 3/8" STEEL FRONT FORKS

PEER, MAINTENANCE-FREE SPINDLES

REAR REAPER TIRES

DECK LIFT PEDAL WITH DECK DIAL ADJUSTMENT

SEAT LIFTS FOR EASY MAINTENANCE AND CLEANING

ELECTRIC PTO

COMFORT SEAT WITH ARM RESTS



RESIDENTIAL SERIES

MZ MAGNUM



NEVER STAMPED DECK



Most mowers in this price range are stamped from flimsy steel and bolted together. Ours are all-steel and welded like all of our mowers.

ALL NEW DESIGN



New Reaper tires, gas tanks, seat, slope deck & steering arms are just a few of the changes on the all new MZ Magnum.

TAKE A SEAT



Don't let the price fool you. We never cut back on comfort. The cushioned seat adjusts front to back.

POWERED BY KAWASAKI ENGINES

AVAILABLE DECK SIZES: 48", 54" & 60"

ALL NEW SLOPED 3/16" OR 7-GAUGE ALL STEEL, FORMED AND WELDED DECK WITH REINFORCED EDGES

SEAT LIFTS FOR EASY MAINTENANCE AND CLEANING

HEAVY-GAUGE, ALL-STEEL, ALL-WELDED FRAME

DUAL HYDRO-GEAR ZT 2200 SERIES INTEGRATED DRIVE SYSTEMS

INDUSTRY-LEADING 3/8" STEEL FRONT FORKS

PEER, MAINTENANCE-FREE SPINDLES

DECK LIFT PEDAL WITH DECK DIAL ADJUSTMENT

ELECTRIC PTO

COMFORT SEAT *** NOTE ***UPGRADED SEAT FOR UK MARKET



RESIDENTIAL SERIES

MZ RAMBLER



A DECK AHEAD



Bad Boy's legendary all-new sloped 3/16" or 7-gauge all steel, formed and welded deck with reinforced edges won't bend or wobble.

ALL NEW DESIGN



Upgraded gas tanks, and a no-slip rubber floor mat, plus the all-new sloped 42" all-steel, all-welded deck gives you optimal maneuverability.

DIALED IN TO FIT YOU



Choose which side you want for your deck lift pedal to easily dial in a deck height for a perfect cut time and time again.

POWERED BY BRIGGS

DECK SIZE: 42"

DUAL HYDRO-GEAR ZT 2200 SERIES INTEGRATED DRIVE SYSTEMS

ALL NEW SLOPED 3/16" OR 7-GAUGE ALL STEEL, FORMED AND WELDED DECK WITH REINFORCED EDGES

HEAVY-GAUGE, ALL-STEEL, ALL-WELDED FRAME

INDUSTRY-LEADING 5/16" STEEL FRONT FORKS

PEER, MAINTENANCE-FREE SPINDLES

DECK LIFT PEDAL WITH DECK DIAL ADJUSTMENT

SEAT LIFTS FOR EASY MAINTENANCE AND CLEANING

ELECTRIC PTO

COMFORT SEAT *** NOTE*** UPGRADED SEAT FOR UK MARKET



RESIDENTIAL SERIES

E MAGNUM



CHANGING THE GAME



We're reinventing our industry-leading mowers once more. Meet Bad Boy's first electric zero-turn mower.

TOP NOTCH ENGINEERING



The E-Magnum is the most advanced electric mower and features the only fabricated deck in the category.

UNIVERSAL BATTERIES



The batteries used for our E-Magnum work across our entire E-Series lineup of electric hand tools for high-voltage performance.

POWERED BY BAD BOY 80V BATTERIES

42" DECK SIZE

PATENT PENDING INDEPENDENT FRONT SUSPENSION

POWERFUL 80V BATTERIES

INDUSTRY-LEADING FABRICATED DECK

ON-BOARD CHARGING

DIGITAL DISPLAY

BUILT-IN LED LIGHTS

QUIET ELECTRIC MOTORS

E-SERIES UNIVERSAL BATTERY SYSTEM



OPTIONS & ACCESSORIES



GEAR UP AND GET MOWING

We offer a full range of options and accessories for safety, functionality, performance, comfort, entertainment and just plain good looks. Roll any of these extras in the purchase of your mower and they'll be included for a low monthly price in your financing. It's a great way to get a badder Bad Boy for an even better value.

ACCESSORIES SHOWN

HARD TOP COVER

ROPS SPEAKER

STRING TRIMMER MOUNT

ADVANCED CHUTE SYSTEM

BUCKET AND TONGS

ACCESSORIES SHOWN

HANDLE ASSIST

REAR BASKET

ADVANCED CHUTE SYSTEM

BUCKET AND TONGS



KEEP YOUR BAD BOY FACTORY FRESH WITH AUTHENTIC MANUFACTURER'S REPLACEMENT PARTS AND FLUIDS.

These are the same belts, fluids and blades your Bad Boy Mower left our factory with. Continuing to service your mower with these high-performance replacements will always keep your mower running and cutting like new—season after season!



PUMP & DRIVE BELTS

Factory replacement reinforced Kevlar® belts last longer and stand up to the toughest mowing conditions.



HYDROSTATIC OIL

Synthetic blend hydrostatic oil is blended specifically to keep you running cooler and at optimum performance.



ENGINE OIL

Premium synthetic oil is made to ensure longer engine life.



ETHANOL GUARD

Fuel stabilizer keeps fuel cleaner longer. Pour directly into fuel tank to extend fuel storage life, prevent corrosion, gum formation and remove water.



HI-LIFT BLADES

These authentic Bad Boy replacement blades stay sharp for longer performance.



FRONT MOUNT BASKET



Handy steel basket with elastic hold down.

FRONT MOUNT TOOLBOX



Front built-in 2x2 receiver hitch tool box.

ADVANCED CHUTE SYSTEM



MOWER COVER



One size fits all, fits ROPs and Non-ROPs models.

ROPS STRING TRIMMER MOUNT



Take your string trimmer when you're on the mower.

The variable stage, all-steel shield, effectively and accurately controls the discharge from your zero-turn mower. Prevents discharge into flower beds, driveways and swimming pools. Built for commercial lawn pros and homeowners, the Advanced Chute System also turns your mower into a powerful mulching machine, perfect for fall leaf cleanup!



REAR BASKETS



All steel. Not available for Renegades or Stand ons.

BUCKET AND TONGS



Attaches to front receiver hitch.

ROPS MOUNTED HARD TOP COVER

Tough polycarbonate construction mounts securely to ROPs equipped mowers. We also offer a **soft top canopy** for our mowers.



BELT TENSION GUIDE

Properly calibrated for measuring perfect belt operation. A must have tool for the do-it-yourself mower maintenance owners.



SEAT ISOLATION KIT

Suspension plate attaches between seat and mower for reducing vibration and fatigue. Not available for MZ line.

OPTIONS & ACCESSORIES

MOUNTED ASSIST HANDLE



Attaches to front frame. Fits all models.

ASSIST HANDLE WITH STEP



Mounts on front receiver hitch. Anti-slip step.

RECEIVER HITCH ASSIST HANDLE



Mounts on any front 2x2 receiver hitch.

ROPS MOUNT LIGHT BAR



12,000 Lumen, low amperage in cast aluminum.

R-SERIES TANK LED LIGHT KIT



Fully assembled on metal plates for easy install.

FRONT MOUNT LED LIGHT KITS



For mounting on any mower model. Complete kit.

MULCHING KIT

Wavy mulching blades are included with the kit.



MULCHING BLADES

Replaces your standard cutting blades.



STEERING ARM PADS

Provide additional support for arms.



CUSTOM RIMS



Machined from high-grade aluminum.

MICHELIN® TWEELS REAR TIRES



Never worry about flat tires again.

FRONT CASTER BRAKES



Locks front casters for straight runs when striping.

MICHELIN® TWEELS FRONT TIRES



Front tire tread technology.


REAPER® TURF TIRES



Wrap-over grip edge for greater traction.

NO FLAT FRONT TIRES

Solid form front tires continue to perform even if punctured.



REAR DECK MOUNT STRIPING KIT

Mounts to back edge of the deck and adjusts with deck height.

REAR FRAME STRIPING KIT



Lay down baseball field precision stripes with our kits.

ROPS MOUNTED HAZARD LIGHT

Warning light for high traffic and busy areas.



OPTIONS & ACCESSORIES



PATENTED SULKY FOR WALK-BEHINDS

Featuring EZ-Ride® technology. Built for our Raider, it also works for other Walk-Behind brands.



MOWER LIFT

For lifting MZ and ZT Class mowers for under deck maintenance and cleaning. Not for Commercial Class mowers!



ROLL-OVER PROTECTION SYSTEM (ROPS)

Optional for ZT and MZ Class mowers, and recommended for mowing on sloping terrain.



ADJUSTABLE STEERING HANDLES

Bolt on your steering levers for adjustable operator fit.



RECEIVER TOW HITCH



R-series receiver hitch for pull-behind tools.

BOLT-ON TOW HITCH



For Maverick, ZT and MZ Mowers.

SNOW PLOW

Powered plow attaches to front hitch and is operated by fingertip control .

POWERED BAGGER



Mower-assisted blower and large capacity bags.

FRONT MOUNT SPRAYER



Fits in mower's front receiver hitch.

SWEeper



Easy to operate and dump.

ACCELERATOR GRASS CATCHER

Easy to install, replaces chute.



AERATOR



Sharp blades punch holes to aerate lawn.

STEEL DUMP TRAILER



Heavy-duty steel construction.

TRAILER SPRAYER

High-capacity powered sprayer with hand-held wand. Boom sold separately.



SPREADER



Seed or feed with ease.

DE-THATCHER



Springed steel tines comb clippings from turf.

PULL-BEHIND ROLLER.

Fill with water for proper working weight.



MOWER SPECIFICATIONS

RENEGADE DIESEL ENGINE OPTIONS

 Perkins 61" 1100cc, 24.7hp

DIMENSIONS

Cutting Widths	61" / 61"
Weight	61" / 1862 lbs.
Overall Height/Length	51" / 91"
Chute Up/Down Width	61" / 63.5" / 75.5"

FEATURES

Suspension	Patented 3-Link Rear Trailing Arm Suspension with Patented Front Independent Suspension
Transmission	Hydro-Gear® 16cc Pump; Parker® 18ci Wheel Motors
Deck Thickness	1/4" or 3-Gauge Thick Solid Steel
Cutting Height	2" - 6"
Lift and Height Adjust	Foot-Assist Manual Lift with Dial-Style Height Adjustment. Optional electric lift
Rear Tires/Front Tires	26x12-12 Reaper® / 15x6-6 Smooth No Flat Front
Fuel	13 Gallons, Diesel
Ground Speed (forward)	Up to 13 mph



ROGUE

ENGINE OPTIONS

-  Kawasaki 61" / 72" 999cc, 35hp FX1000
-  Kawasaki 61" 999cc, 35hp FX1000
-  Kawasaki 61" 999cc, 35hp FX1000 REAR DISCHARGE
-  Kawasaki 61" 999cc, 35hp FX1000 REAR DISCHARGE

DIMENSIONS

Cutting Widths	61" / 61"; 72" / 72"
Weight	61" / 1538 lbs.; 72" / 1595 lbs.
Overall Height/Length	53" / 92"
Chute Up/Down Width	61" / 63.5" / 75.5"; 72" / 74.5" / 86.5"

FEATURES

Suspension	Patented 3-Link Rear Trailing Arm Suspension with patented Front Independent suspension
Transmission	Hydro-Gear® 16cc Pump; Parker® 18ci Wheel Motors
Deck Thickness	1/4" or 3-Gauge Thick Solid Steel
Cutting Height	2" - 6"
Lift and Height Adjust	Foot-Assist Manual Lift with Dial-Style Height Adjustment. Optional electric lift
Rear Tires/Front Tires	26x12-12 Reaper® / 15x6-6 Smooth No Flat Front
Fuel	13 Gallons, Unleaded Gasoline
Ground Speed (forward)	Up to 13 mph



CHOOSE WHAT'S RIGHT FOR YOU.

We're here to help you get into the driver's seat. We've partnered with some of the industry's most respectable financial institutions to bring you the best money saving options.

Speak to Richard at Lothian Turf Tech to get a demonstration organised



REBEL	ENGINE OPTIONS
■  Kawasaki	54"/61" 852cc, 27hp FX850
	
DIMENSIONS	
Cutting Widths	54"/54"; 61"/61"
Weight	54"/1257 lbs; 61"/1382 lbs.;
Overall Height/Length	50" / 92"
Chute Up/Down Width	54"/56.5"/68.5"; 61"/63.5"/75.5"
FEATURES	
Transmission	4400 Hydro-Gear® 16cc Integrated Transaxle
Deck Thickness	1/4" or 3-Gauge Thick Solid Steel
Cutting Height	1" – 5" with Deck Height Control System
Lift and Height Adjust	Foot-Assist Manual Lift with Dial-Style Height Adjustment. Optional electric lift
Rear Tires/Front Tires	24x12-12 Reaper® /13x6.5-6 Smooth No Flat Front
Fuel	13 Gallons, Unleaded Gasoline
Ground Speed (forward)	Up to 12 mph



REVOLT STAND-ON	ENGINE OPTIONS
■  Kawasaki	54"/61" 852cc, 27hp FX850
■  Kawasaki	48" 726cc, 23.5hp FX730
■  Kawasaki	36" 726cc, 22hp FX691
■  Kawasaki	54"/61" 822cc, 31hp EVO781 EFI
	
DIMENSIONS	
Cutting Widths	36"/36"; 48"/48"; 54"/54"; 61"/61"
Weight	36"/805 lbs; 48"/930 lbs; 54"/980 lbs; 61"/1040 lbs.
Overall Height/Length	48"/63"
Chute Up/Down Width	36"/38.5"/50.5"; 48"/50.5"/62.5" 54"/56.5"/68.5"; 61"/63.5"/75.5"
FEATURES	
Transmission	36" 3100 Hydro-Gear® 10cc Integrated Transaxle 48"/54"/61" 3400 Hydro-Gear® 12cc Integrated Transaxle
Deck Thickness	3/16" or 7-Gauge Thick Solid Steel
Cutting Height	2" – 5" with Deck Height Control System
Lift and Height Adjust	Manual Lift
Rear Tires/Front Tires	36" 21x7-10 Reaper® /13x6.5-6 Smooth No Flat 48"/54" 23x9-12 Reaper® /13x6.5-6 Smooth No Flat 61" 23x11-12 Reaper® /13x6.5-6 Smooth No Flat
Fuel	8 Gallons, Unleaded Gasoline (36" model has 5 Gallon tank)
Ground Speed (forward)	Up to 9 mph

REVOLTSD STAND-ON	ENGINE OPTIONS
■  Kawasaki	34"/42" 603cc, 18.5hp FS600
	
DIMENSIONS	
Cutting Widths	34"/34"; 42"/42"
Weight	34"/722 lbs; 42"/733 lbs.
Overall Height/Length	47"/63.75"
Chute Up/Down Width	34"/38.5"/50.5"; 42"/50.5"/62.5"
FEATURES	
Transmission	34"/42" 2800 Hydro-Gear® 10cc Integrated Transaxle
Deck Thickness	3/16" or 7-Gauge Thick Solid Steel
Cutting Height	1.5" – 4.5" with Deck Height Control System
Lift and Height Adjust	Manual Lift
Rear Tires/Front Tires	34"/42" 21x7-10 Reaper® /13x6.5-6 Smooth
Fuel	5 Gallons, Unleaded Gasoline
Ground Speed (forward)	Up to 9 mph

MOWER SPECIFICATIONS

MAVERICK HD

ENGINE OPTIONS

■  Kawasaki	42"/48" 726cc, 22hp FX691
■  Kawasaki	54"/60" 726cc, 23.5hp FX730

KOHLER

DIMENSIONS

Cutting Widths	42"/42"; 48"/48"; 54"/54"; 60"/60"
Weight	42"/1062 lbs.; 48"/1073 lbs.; 54"/1110 lbs.; 60"/1137 lbs.
Overall Height/Length	49"/80"
Chute Up/Down Width	42"/47"/56"; 48"/54"/61"; 54"/58"/67"; 60"/64"/73"

FEATURES

E-Z Ride Suspension®	Patented compression rear suspension with Independent front suspension rails
Transmission	3400 Hydro-Gear® 12cc Integrated Transaxle
Deck Thickness	3/16" or 7-Gauge Thick Solid Steel
Cutting Height	1.5" - 4.5" with Deck Height Control System
Lift and Height Adjust	Foot-Assist Manual Lift with Dial-Style Height Adjustment.
Rear Tires/Front Tires	42"/48"/23x9-12 Reaper® / 13x6.5-6 Smooth No Flat Front 54"/60"/23x11-12 Reaper® / 13x6.5-6 Smooth No Flat Front
Fuel	13 Gallons, Unleaded Gasoline
Ground Speed (forward)	Up to 9 mph



ZT ELITE

ENGINE OPTIONS

	54"/60" 810cc, 27hp CX127
---	---------------------------

■ Kawasaki

48"/54"/60" 726cc, 24hp FR730

DIMENSIONS

Cutting Widths	48"/48"; 54"/54"; 60"/60"
Weight	48"/812 lbs; 54"/839 lbs.; 60"/865 lbs.
Overall Height/Length	46" / 74 1/2"
Chute Up/Down Width	48"/54"/61"; 54"/58"/67"; 60"/64"/73"

FEATURES

E-Z Ride Suspension®	Patented Independent front suspension rails
Transmission	3100 Hydro-Gear® 10cc Integrated Transaxle
Deck Thickness	3/16" or 7-Gauge Thick Solid Steel
Cutting Height	1.5" - 4.5" with Deck Height Control System
Lift and Height Adjust	Foot-Assist Manual Lift with Dial-Style Height Adjustment.
Rear Tires/Front Tires	48"/22x10-10 Reaper® / 13x6.5-6 Smooth 54"/60"/22x11-10 Reaper® / 13x6.5-6 Smooth
Fuel	6.5 Gallons, Unleaded Gasoline
Ground Speed (forward)	Up to 7 mph

MZ MAGNUM

ENGINE OPTIONS

 Kawasaki

48" / 54" 726cc, 21.5hp FR651

 KOHLER

54" / 60" 725cc, 24hp KT724



48" / 54" 25hp CX125

DIMENSIONS

Cutting Widths	48" / 48"; 54" / 54"; 60" / 60"
Weight	48" / 659 lbs.; 54" / 687 lbs.; 60" / 715 lbs.
Overall Height/Length	42" / 76"
Chute Up/Down Width	48" / 54" / 61"; 54" / 58" / 67"; 60" / 64" / 73"

FEATURES

Transmission	Dual Hydro-Gear® EZT 2200 Drive Systems
Deck Thickness	3/16" or 7-Gauge Thick Solid Steel
Cutting Height	1.5" - 4.5" Deck Height Control System
Lift and Height Adjust	Foot-Assist Manual Lift with Dial-Style Height Adjustment.
Rear Tires/Front Tires	18x9.5-8 Reaper® / 11x6-5 Smooth
Fuel	6 Gallons, Unleaded Gasoline
Ground Speed (forward)	Up to 6 mph



MZ RAMBLER

ENGINE OPTIONS



42" 540cc, 19hp EX1900

 KOHLER

42" 722cc, 22hp KT722

DIMENSIONS

Cutting Widths	42" / 42"	Weight 42" / 632 lbs
Overall Height/Length	42" / 76"	Chute Up/Down Width 47" / 56"

FEATURES

Transmission	Dual Hydro-Gear® ZT 2200 Drive Systems
Deck Thickness	Sloped 3/16" or 7-Gauge Thick Solid Steel
Cutting Height	1.5" - 4.5" with Deck Height Control System
Lift and Height Adjust	Foot-Assist Manual Lift with Dial-Style Height Adjustment.
Rear Tires/Front Tires	18x8.5-8 Reaper® / 11x4-5 Smooth
Fuel	6 Gallons, Unleaded Gasoline
Ground Speed (forward)	Up to 6 mph



MAGNUM

ENGINE OPTIONS

80v Electric

DIMENSIONS

Cutting Widths	42" / 42"	Weight 42" / 588 lbs
Overall Height/Length	48" / 65"	Chute Up/Down Width 48" / 57"

FEATURES

Battery Capacity	Battery compartment capacity is 6 80v, 8.0ah batteries (4 80v, 8.0ah batteries included)
Deck Thickness	1/8" or 11-Gauge Thick Solid Steel
Cutting Height	1.5" - 4.5" with Deck Height Control System
Lift and Height Adjust	Foot-Assist Manual Lift with Dial-Style Height Adjustment.
Rear Tires/Front Tires	20x10-8 Reaper® / 11x4-5 Smooth
Ground Speed (forward)	Low - 3 mph, Med - 5 mph, High - 7 mph

WELCOME TO

COUNTRY

BAD BOY

POWER. PERFORMANCE. **ATTITUDE.**



MOW WITH AN *Attitude*

2025